

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/671,068	09/25/2003	Wilson Y. Liao	INTCP004	5861	
45460 7590 05/29/2007 JUNG-HUA KUO ATTORNEY AT LAW			EXAMINER		
C/OINTELLEVATE			MOUTAOUAKIL, MOUNIR		
P. O. BOX 520. MINNEAPOLI	<del></del>		ART UNIT	PAPER NUMBER	
	,		2616		
			MAIL DATE	DELIVERY MODE	
			05/29/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

			Û			
	Application No.	Applicant(s)				
	10/671,068	LIAO ET AL.				
Office Action Summary	Examiner	Art Unit				
	Mounir Moutaouakil	2616				
The MAILING DATE of this communication apperiod for Reply	pears on the cover sheet with the	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period  - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	PATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be to will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONI	N. imely filed in the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 25 S	September 2003.					
, <u> </u>	This action is FINAL. 2b)⊠ This action is non-final.					
3) Since this application is in condition for allowa	·					
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 11, 4	.53 O.G. 213.				
Disposition of Claims						
4) ⊠ Claim(s) 1-20 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-20 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	wn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 25 September 2003 is/ Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Examine	/are: a)⊠ accepted or b)⊡ objected are an accepted or b)⊡ objected are accepted or b)⊡ objected are accepted if the drawing(s) is old	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents</li> <li>2. Certified copies of the priority documents</li> <li>3. Copies of the certified copies of the priority application from the International Bureats</li> <li>* See the attached detailed Office action for a list</li> </ul>	ts have been received. ts have been received in Applica prity documents have been receiv u (PCT Rule 17.2(a)).	tion No ved in this National Stage				
Attachment(s)	n □ · · ·	(DTO 442)				
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail [ 5) Notice of Informal 6) Other:	Date				

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) The invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1, 4-7, 9-11, 13, and 16-19 are rejected under 35 U.S.C. 102(b) as being anticipated by Gaddis et al (US 5,815,501). Hereinafter referred to as Gaddis.

Regarding claim 1. Gaddis discloses an ATM-Ethernet network system (see figure 1). The system comprises an ATM processor (see figure 3, ATM cell processor); an Ethernet network processor (see figure 3, Ethernet controller); and an ATM-Ethernet processor interfacing between the ATM processor and the Ethernet network processor (see figure 1, ATM-Ethernet portal, also see figure 3, which is a schematic block diagram of the ATM Ethernet portal hardware architecture, see the control microprocessor). The ATM-Ethernet processor includes a packet buffer pointer ring for managing traffic from the Ethernet network processor to the ATM processor the packet buffer pointer ring to contain a plurality of ATM processor packet buffer pointers (See figure 3 and column 5, lines 25-67, the system manages and controls manages frames traffic), a packet descriptor ring and a data buffer for managing traffic from the ATM processor to the Ethernet network processor, the packet descriptor ring being configured to contain a plurality of packet descriptors each including an ATM-Ethernet packet buffer memory address in the data buffer (See figure 3 and column 5, lines 25-

Art Unit: 2616

\_\_\_\_\_

column 6 lines 17. packet descriptor is used to manage the cell flow from the ATM network to Ethernet network).

Regarding claim 4. Gaddis discloses a system where the packet buffer pointer ring is hardware scalable in size (see figure 3, see column 5 lines 1-24. where all of the elements implemented are hardware scalable in size).

Regarding claim 5. Gaddis discloses a system where the packet buffer pointer ring is a hardware FIFO to contain packet buffer pointers that point to packet buffer memory locations in the memory of the ATM processor (see figure 4 and see column 6, lines 1-16. the packet buffer pointer is a hardware FIFO, and points to packet buffer memory location of the ATM processor).

Regarding claims 6 and 14. Gaddis discloses a system where each packet buffer pointer contains a flag to signal to the ATM-Ethernet processor hardware whether the packet buffer pointer is being used (see column 5, lines 25-46, the DMA controller is used to flag the ATM-Ethernet microprocessor whether new cells have arrived).

Regarding claim 7. Gaddis discloses a system where each packet buffer pointer points to a packet buffer memory location in a memory of the ATM processor (see column 6 lines 1-17, the system points to a packet buffer memory location in a shared memory of the ATM processor).

Regarding claims 9 and 15. Gaddis discloses a system where the packet buffer pointer ring and the packet descriptor ring are implemented as circular FIFOs (see figure 4).

Art Unit: 2616

illioi Number. 10/07 1,00

Regarding claim 10. Gaddis discloses a method for data communication. The method for data communication comprises receiving a packet from a network processor by an ATM-Ethernet processor for transmission to an ATM processor (see figure 3); fetching a packet buffer pointer from a packet buffer pointer ring of the ATM-Ethernet processor, the packet buffer pointer including a memory address pointing to a packet buffer memory location in a data buffer memory of the ATM processor; and transmitting the fetched packet buffer pointer and the received packet to the ATM processor (See column 5, lines 54-67).

Regarding claim 11. The method of Gaddis further comprises identifying the memory in the ATM processor to which the memory address in the fetched packet buffer pointer points by the ATM processor; storing the packet to the memory identified in the ATM processor; and returning the packet buffer pointer to the ATM-Ethernet processor for reuse (see column 5, lines 54-67, the microprocessor manages the cells by locating, storing and transmitting the cells to the memory locations assigned.

Moreover, pointers are received to be recycled).

Regarding claim 13. Gaddis discloses a method where the packet buffer pointer ring of the ATM-Ethernet processor is hardware scalable in size (see figure 3, see column 5 lines 1-24. where all of the elements implemented are hardware scalable in size).

Regarding claim 16. Gaddis discloses a method for data communication. The method comprises: receiving a packet from an ATM processor by an ATM-Ethernet processor for transmission to a network processor; storing the packet in a data buffer of

Art Unit: 2616

the ATM-Ethernet processor; storing a packet descriptor for the packet in a packet descriptor ring of the ATM-Ethernet processor, the packet descriptor including a pointer to a memory location in the data buffer to which the packet is stored; analyzing the packet descriptor for error; and if error is detected: dropping the packet descriptor; reporting error to the ATM processor; if no error is detected: fetching the packet from the data buffer of the ATM-Ethernet processor; and transmitting the packet to the network processor (see column 6, lines 1-17).

Regarding claim 17. The method of Gaddis further comprises returning the packet descriptor to the packet descriptor ring for reuse (see column 6, lines 15-17).

Regarding claim 18. Gaddis discloses a method where the packet descriptor ring of the ATM-Ethernet processor is hardware scalable in size (see column 5, lines 14-24, and see figure 3).

Regarding claim 19. Gaddis discloses a method where the packet descriptor ring is implemented in the ATM-Ethernet processor as a circular FIFO (see figure 4).

## Claim Rejections - 35 USC § 103

3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

Art Unit: 2616

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

- 4. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 2 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gaddis in view of Vogel (US 6,075,788).

Regarding claim 2. Gaddis discloses an ATM data processor, which is an ATM I2 processor.

Regarding claim 2 and 12. The system of Gaddis discloses all the limitations of claims 1 and 10. Gaddis does not disclose that the ATM processor is in communication with the SONET framer. However, Vogel discloses a method of communicating ATM network and SONET network (See column 2, lines 62-67). Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to add a

Art Unit: 2616

SONET framer, as suggested by Vogel, to communicate with the ATM processor in order to receive ATM cells and load them into synchronous payload envelopes (SPE) forming SONET frames.

Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gaddis.
 Regarding claim 3. Gaddis discloses all the limitations of claim 1.

Gaddis does not comprise an Ethernet MAC in communication with the Ethernet network processor. However, the examiner takes official Notice that it is well known in the art to have an Ethernet network processor in communication with an Ethernet MAC to provide services to clients or local area networks.

8. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gaddis in view Yoaz et al (US 2004/0215934). Hereinafter referred to as Yoaz.

Gaddis discloses using descriptors as pointers to manage the conversion form the Ethernet controller to the ATM cell processor.

Gaddis does not disclose that the packet pointer contains 16 bits, 15 of which being for a pointer to point to a packet buffer memory location in a memory of the ATM processor. However Yoaz discloses a system where the packet pointer contains 16 bits (see paragraph 18). Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to implement the packet pointer of Gaddis using 16 bits, of which 1 bit can be used as a flag and the rest can be used as address location, as suggested by Yoaz. Moreover, long pointer has the advantage of greater memory location access than a shorter length pointer.

Art Unit: 2616

9. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gaddis in view of Rozario et al (US 6,618,793). Hereinafter referred to as Rozario.

Gaddis discloses the use of packet descriptors.

Gaddis does not disclose that packet descriptor contain 8 bytes (64 bits) (see column 4, lines 5-12). However, Rozario discloses a packet descriptor containing 8 bytes. Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to use 8-byte packet descriptor to indicate the location in a memory.

## Conclusion

10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mounir Moutaouakil whose telephone number is 571-270-1416. The examiner can normally be reached on Monday-Thursday (4pm-4: 30pm) eastern time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hassan Kizou can be reached on 571-272-3088. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/671,068 Page 9

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Mounir Moutaouakil Art Unit 2616.

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600